

1 REFERENCES

- 2 1. Klein R, Klein BE, Moss SE, Davis MD, DeMets DL. The Wisconsin Epidemiologic
3 Study of Diabetic Retinopathy, IV: diabetic macular edema. *Ophthalmology*.
4 1984;91:1464-1474.
- 5 2. Diabetic Retinopathy Clinical Research Network *Ophthalmology*. A randomized trial
6 comparing intravitreal triamcinolone acetonide and focal/grid photocoagulation for
7 diabetic macular edema. *Ophthalmology*. 2008;115:1447–1449.
- 8 3. Bresnick GH. Diabetic maculopathy: a critical review highlighting diffuse
9 macularedema. *Ophthalmology*. 1983;90:1301-1317.
- 10 4. Lee CM, Olk RJ. Modified grid laser photocoagulation for diffuse diabetic macular
11 edema: long term visual results. *Ophthalmology*. 1991;98:1594-1602.
- 12 5. Sutter FK, Simpson JM, Gillies MC. Intravitreal triamcinolone for diabetic macular
13 edema that persists after laser treatment: threemonth efficacy and safety results of a
14 prospective, randomized, double-masked, placebo-controlled clinical trial.
15 *Ophthalmology*. 2004;111:2044 2049.
- 16 6. Kuppermann BD, Blumenkranz MS, Haller JA, et al. Dexamethasone DDS Phase II
17 Study Group. Randomized controlled study of an intravitreal dexamethasone drug
18 delivery system in patients with persistent macular edema. *Arch Ophthalmol*.
19 2007;125:309– 317.
- 20 7. Arevalo JF, Fromow-Guerra J, Quiroz-Mercado H, et al. Pan-American Collaborative
21 Retina Study Group. Primary intravitreal bevacizumab (Avastin) for diabetic macular
22 edema: results from the Pan-American Collaborative Retina Study Group at 6-month
23 followup. *Ophthalmology*. 2007;114:743–75

- 24 8. Massin P, Audren F, Haouchine B, et al. Intravitreal triamcinolone acetonide for
25 diabetic macular edema: preliminary results of a prospective controlled trial.
26 *Ophthalmology*. 2004;111:218-225.
- 27 9. Jonas JB, Kreissig I, Degenring RF. Intraocular pressure after intravitreal injection of
28 triamcinolone acetonide. *Br J Ophthalmol*. 2003;87:24-27.
- 29 10. Yoshikawa K, Kotake S, Ichiishi A, Sasamoto Y, Kosaka S, Matsuda H. Posterior sub-
30 Tenon injections of repository corticosteroids in uveitis patients with cystoid macular
31 edema. *Jpn J Ophthalmol*. 1995;39:71-76.
- 32 11. Diabetic Retinopathy Clinical Research Network *Ophthalmology*. A randomized trial
33 comparing intravitreal triamcinolone acetonide and focal/grid photocoagulation for
34 diabetic macular edema. *Ophthalmology*. 2008;115:1447-1449
- 35 12. Gottfredsdóttir MS, Stefa'nsson E, Jo'nasson F, Gíslason I. Retinal vasoconstriction
36 after laser treatment for diabetic macular edema. *Am J Ophthalmol*. 1993;115:64-67.
- 37 13. Martidis A, Duker JS, Greenberg PB, Rogers AH, Puliafito CA, Reichel E, et al.
38 Intravitreal triamcinolone for refractory diabetic macular edema. *Ophthalmology*
39 2002;109:920-7.
- 40 14. Kang SW, Sa HS, Cho HY. Macular grid photocoagulation after intravitreal
41 triamcinolone acetonide for diffuse diabetic macular edema. *Arch Ophthalmol*
42 2006;124:653-8.
- 43 15. Lam DS, Chan CK, Mohamed S, Lai TY, Lee VY, et al. Intravitreal Triamcinolone
44 plus sequential grid laser versus Triamcinolone or laser alone for treating diabetic
45 macular edema: Six-month outcomes. *Ophthalmology* 2007;114:2162-7.e1.
- 46 16. Jonas JB, Soeffker A. Intraocular injection of crystalline cortisone as adjunctive
47 treatment of diabetic macular edema. *Am J Ophthalmol*. 2001;132:425-427.

- 48 17. Wilson CA, Berkowitz BA, Sato Y, Ando N, Handa JT, de Juan E Jr. Treatment with
49 intravitreal steroid reduces blood-retinal barrier breakdown due to retinal
50 photocoagulation. *Arch Ophthalmol.* 1992;110:1155-1159.
- 51 18. Sakamoto T, Miyazaki M, Hisatomi T, et al. Triamcinolone-assisted pars plana
52 vitrectomy improves the surgical procedures and decreases the postoperative blood-
53 ocular barrier breakdown. *Graefes Arch Clin Exp Ophthalmol.* 2002;240: 423-429
- 54 19. Jonas JB, Degengring RF, Kampeter BA, et al.: Duration of the effect of intravitreal
55 triamcinolone acetonide as treatment of diffuse diabetic macular edema. *Am J*
56 *Ophthalmol.* 2004;138:158- 160.
- 57 20. Larsson J, Zhu M, Sutter F, Gillies MC. Relation between reduction of foveal
58 thickness and visual acuity in diabetic macular edema treated with intravitreal
59 triamcinolone. *Am J Ophthalmol.* 2005; 139:802–806
- 60 21. Early Treatment Diabetic Retinopathy Study Research Group. Photocoagulation for
61 diabetic macular edema: Early Treatment Diabetic Retinopathy Study report number
62 1. *Arch Ophthalmol.* 1985;103:1796-1806
- 63 22. Early Treatment Diabetic Retinopathy Study Research Group. Treatment techniques
64 and clinical guidelines for photocoagulation of diabetic macular edema: Early
65 Treatment Diabetic Retinopathy Study report number 2. *Ophthalmology.*
66 1987;94:761-774.
- 67 23. Early Treatment Diabetic Retinopathy Study Research Group. Photocoagulation for
68 diabetic macular edema: Early Treatment Diabetic Retinopathy Study report number
69 4. *Int Ophthalmol Clin.* 1987;27:265-272
- 70 24. Özkırış A, Erkılıç K.: Complications of intravitreal injection of triamcinolone
71 acetonide. *Can J Ophthalmol.* 2005;40:63-68.

